

Supplementary Table 5. Risk of Bias Estimation Using Joanna Briggs Institute Checklist for the Incidence/Prevalence Data Reporting Clinical Symptoms of Risk of COVID-19 Infection in IBD Patients

Checklist	Axelrad et al. ⁵	Bezzio et al. ³	Brenner et al. ⁴	Gonzalez HA ^a	Gubatan et al. ¹⁰	Guerra et al. ¹¹	Lukin et al. ¹²	Rodríguez-Lago et al. ¹³	Singh et al. ¹⁴	Turner et al. ¹⁶	Taxonera et al. ¹⁵
Were the included patients appropriately addressed the target population?	■	■	■	■	■	■	■	■	■	■	■
Were the IBD patients recruited appropriately in the study?	■	■	■	■	■	■	■	■	■	■	■
Was the sample size (IBD patients) used for analysis adequate?	■	■	■	■	■	■	■	■	■	■	■
Were the study subjects (IBD patients) and settings described in detail?	■	■	■	■	■	■	■	■	■	■	■
Was data analysis conducted with sufficient coverage of the identified sample?	■	■	■	■	■	■	■	■	■	■	■
Was valid method used to identify the features of COVID in IBD?	■	■	■	■	■	■	■	■	■	■	■
Were the COVID symptoms identified measured in a standard, reliable way for all the participants?	■	■	■	■	■	■	■	■	■	■	■
Was appropriate statistical analysis used?	■	■	■	■	■	■	■	■	■	■	■
Was the response rate adequate?	■	■	■	■	■	■	■	■	■	■	■

Low risk of bias: ■; Unclear risk of bias: ■; High risk of bias: ■

^aUnpublished data.

COVID-19, coronavirus disease 2019; IBD, inflammatory bowel disease.